

12V_{max}
LITHIUM-ION




CXT

■ Accessories

<p>Mat nozzle 120 Part No. 459056-4</p> 	<p>Seat nozzle 120 Part No. 140H95-0</p> 	<p>Rubber nozzle 330 Part No. 422437-5</p> 	<p>Soft brush 360 Part No. 140H94-2</p> 	<p>Blower attachment Part No. 140J64-3</p> 	<p>Shoulder belt Part No. 162544-9</p> 
<p>Paper filter set 5pcs/set Part No. 194566-1</p> 	<p>Dust bag Part No. 198746-1</p> 	<p>Easy shake off filter Part No. 198748-7</p> 	<p>Valve stay complete Part No. 143677-9</p> 	<p>Tool bag Part No. 199900-0</p> 	



Cordless Cleaner		CL121D
	Electronic 3-Speed	
Capacity	Dust Bag: 500 mL Paper Pack: 330 mL	
Continuous Use (w/ BL1041B) (min.)	Max: 27/ High: 32/ Normal: 67	
Continuous Use (w/ BL1016) (min.)	Max: 10/ High: 12/ Normal: 25	
Max Air Flow	1.3 m ³ /min	
Max Sealed Suction(water column)	4.6 kPa (470 mmH ₂ O)	
Suction Power	Max: 28 W/ High: 19 W/ Normal: 5 W	
Vibration Level	0.89 m/s ²	
Noise Level	Max/ High/ Normal: 68/ 67/ 61 dB(A)	
Dimensions (L x W x H)	w/ BL1016/BL1021B: 345x138x202 mm (13-5/8"x5-7/16"x8")	
Net weight	1.7 - 1.8 kg (3.7 - 4.0 lbs.)	
Standard Equipment: Seat Nozzle, Mat Nozzle, Rubber Nozzle, Soft Brush, Blower Attachment, Dust Bag, Paper Dust Bag, Shoulder Belt, Battery, Charger		

The weight does not include accessories but battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table.
Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201904

Satisfy Professional's Needs

CXT

Makita®

Cordless Cleaner
CL121D

Born to clean the vehicles



Max Air Flow
1.3 m³/min

Max Sealed Suction
4.6 kPa (470 mmH₂O)

12V_{max}
LITHIUM-ION

Mat nozzle 120



Seat nozzle 120



Rubber nozzle 330



Soft brush 360



Blower attachment



Ideal for interior cleaning



Especially designed variable attachments



Max Air Flow	Max Sealed Suction	Continuous Use with BL1041B	Dust Capacity with dust bag
1.3 m³/min	4.6 kPa (470 mmH ₂ O)	27 / 32 / 67 min Max / High / Normal	500 mL Paper Pack : 330mL

